



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/632,214	07/31/2003	Gerard Chauvel	TI-35427 (1962-05406)	1113
23494	7590 02/23/2006		EXAMINER	
TEXAS INSTRUMENTS INCORPORATED P O BOX 655474, M/S 3999			PETRANEK, JACOB ANDREW	
DALLAS, TX 75265			ART UNIT	PAPER NUMBER
			2183	

DATE MAILED: 02/23/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)		
Office Action Summary		10/632,214	CHAUVEL ET AL.		
		Examiner	Art Unit		
		Jacob Petranek	2183		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
WHIC - Exter after - If NO - Failu Any r	ORTENED STATUTORY PERIOD FOR REPLEHEVER IS LONGER, FROM THE MAILING Domains of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. Period for reply is specified above, the maximum statutory period for to reply within the set or extended period for reply will, by statute the period by the Office later than three months after the mailing patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION (36(a)). In no event, however, may a reply be time will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	lely filed the mailing date of this communication. D (35 U.S.C. § 133).		
Status					
2a)□	Responsive to communication(s) filed on <u>15 M</u> This action is FINAL . 2b) This Since this application is in condition for allowarclosed in accordance with the practice under Expression 1.5 M and 1.5 M are the second se	s action is non-final. nce except for formal matters, pro			
Dispositi	on of Claims				
5) □ 6) ☑ 7) □ 8) □	Claim(s) 1-20 is/are pending in the application 4a) Of the above claim(s) is/are withdra Claim(s) is/are allowed. Claim(s) 1-20 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or	wn from consideration.			
	on Papers				
10)⊠	The specification is objected to by the Examine The drawing(s) filed on 31 July 2003 is/are: a) Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex	\square accepted or b) \square objected to be drawing(s) be held in abeyance. See tion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).		
Priority u	nder 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment	t(s) e of References Cited (PTO-892)	4) ☐ Interview Summary	(PTO-413)		
2) 🔲 Notice 3) 🔯 Inform	e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date <u>7/31/2003</u> .	Paper No(s)/Mail Da			

Art Unit: 2183

DETAILED ACTION

1. Claims 1-20 are pending.

2. The office acknowledges the following papers:

Foreign priority papers filed on 3/15/2004.

Priority

3. This application claims priority to provisional application 60/400,391. The effective filing date for those claims which have proper support in the provisional application is 7/31/2002.

Drawings

4. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the limitations of comparing the immediate value and register value for both modes from claims 1, 2, 4, 7-9, 11-12, 14, 16-17, and 19-20 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d).

Specification

5. The disclosure is objected to because of the following informalities:

Art Unit: 2183

6. The section titled cross-reference to related applications cites cases related, but leaves out the serial numbers. The serial numbers of the applications should be added, or the patent numbers should be added if applicable.

- 7. The lengthy specification has not been checked to the extent necessary to determine the presence of all possible minor errors. The Applicant's cooperation is requested in correcting any errors of which the Applicant may become aware.
- 8. Appropriate correction is required.

Claim Objections

- 9. Claims 1-8 and 19-20 are objected to because of the following informalities:
- 10. Claims 1, 3, and 19 are objected to because the limitation "causes the processor to not execute a subsequent instruction that follows the test and skip instruction" is not contained within the specification. The specification supports skipping the next instruction that means not allowing the instruction to complete.
- 11. Claims 2, 4-8, and 20 are objected to due to their dependency.

Claim Rejections - 35 USC § 112

- 12. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 13. Claims 1-8 and 19-20 are rejected under 35 U.S.C. §112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Art Unit: 2183

Claims 1 and 19 have the limitation "causes the processor to not execute a subsequent instruction that follows the test and skip instruction" that is not contained within the specification. The specification in paragraph 28 supports skipping the next instruction that means not allowing the instruction to complete. The specification in paragraph 28 also supports skipping an instruction as substituting the instruction with a nop instruction. For examination purposes, the limitation will be interpreted as "causes the processor to execute or skip a subsequent instruction that follows the test and skip instruction," with the term skip interpreted as being either substituting a nop instruction or flushing the instruction.

Claim 3 has the limitation "processor does not execute the subsequent instruction if the immediate value does not match the register value" that is not contained within the specification. The specification in paragraph 28 supports skipping the next instruction that means not allowing the instruction to complete. The specification in paragraph 28 also supports skipping an instruction as substituting the instruction with a nop instruction. For examination purposes, the limitation will be interpreted as "processor skips the subsequent instruction if the immediate value does not match the register value," with the term skip interpreted as being either substituting a nop instruction or flushing the instruction.

14. Claims 2, 4-8, and 20 are rejected due to their dependency.

Claim Rejections - 35 USC § 102

Art Unit: 2183

15. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 16. Claims 1-3, 6-7, 11-13, 16, and 18-20 are rejected under 35 U.S.C. §102(b) as being anticipated by Terada et al. (U.S. 6,041,399).
- 17. As per claim 1:

Terada disclosed a processor executing a plurality of instructions, comprising:

An arithmetic logic unit (Terada: Figure 1 elements 103-104 and 203-204, column 5 lines 35-51); and

A plurality of registers coupled to the ALU, each register programmable to store a register value (Terada: Figure 1 elements 102 and 202, column 5 lines 52-61);

Wherein said processor executes a test and skip instruction that includes an immediate value and a reference to a register, performs a comparison using the immediate value and the register value stored in the referenced register, and causes the processor to execute or skip a subsequent instruction that follows the test and skip instruction based on the comparison (Terada: Figure 4, column 5 lines 66-67 continued to column 6 lines 1-24)(The compare greater than instruction in figure 4 compares a register value to an immediate value. The predicate result of this will cause the subtraction instruction to execute or execute and not save the results of the instruction to a register. Thus having the same functionality.).

18. As per claim 2:

Art Unit: 2183

Claim 2 essentially recites the same limitations of claim 1. Therefore, claim 1 is rejected for the same reasons as claim 2.

19. As per claim 3:

Terada disclosed the processor of claim 2 wherein the processor skips the subsequent instruction if the immediate value does not match the register value and executes the subsequent if the immediate value does match the register value (Terada: Figure 11, column 5 lines 66-67 continued to column 6 lines 1-24 and column 7 lines 39-48)(Figure 11 shows a compare equal instruction that compares a immediate value to a register value. The following instruction in figure 11 is skipped if the results aren't equal and is executed if they are equal. Thus having the same functionality.)

20. As per claim 6:

Terada and Blaner disclosed the processor of claim 1 wherein the instruction includes at least one bit that specifies how the comparison is to be performed (Terada: Figure 4, column 5 lines 66-67 continued to column 6 lines 1-24)(The opcode of the instruction specifies how the instruction will execute. Thus having the same functionality.).

21. As per claim 11:

Terada disclosed a system, comprising:

A main processor unit (Terada: Figure 16 figure 20, column 10 lines 43-49); and

A co-processor coupled to said main processor unit (Terada: Figure 16 element 22, column 10 lines 43-49), wherein said co-processor executes an instruction that includes an immediate value and a reference to a register accessible to said co-

processor, performs a comparison using the immediate value and the register value, and executes or skips a subsequent instruction based on the comparison (Terada: Figure 4, column 5 lines 66-67 continued to column 6 lines 1-24)(The compare greater than instruction in figure 4 compares a register value to an immediate value. The predicate result of this will cause the subtraction instruction to execute or execute and not save the results of the instruction to a register. Thus having the same functionality.).

22. As per claim 12:

Claim 12 essentially recites the same limitations of claim 2. Therefore, claim 12 is rejected for the same reasons as claim 2.

23. As per claim 13:

Claim 13 essentially recites the same limitations of claim 3. Therefore, claim 13 is rejected for the same reasons as claim 3.

24. As per claim 16:

Claim 16 essentially recites the same limitations of claim 6. Therefore, claim 16 is rejected for the same reasons as claim 6.

25. As per claim 18:

The system of claim 11 further comprising wireless communication circuitry and said system comprises a cell phone (Official notice is taken that the processing system could be part of a cellular telephone.).

26. As per claim 19:

Terada disclosed a programmable logic device comprising:

Control logic (Terada: Figures 1 and 5, columns 5-6); and

Art Unit: 2183

A means for decoding an instruction that includes an immediate value and a reference to a register for performing a comparison using the immediate value and a register value stored in the referenced register, and for causing the processor to execute or skip a subsequent instruction that follows the instruction based on the comparison (Terada: Figure 4, column 5 lines 66-67 continued to column 6 lines 1-24)(The compare greater than instruction in figure 4 compares a register value to an immediate value. The predicate result of this will cause the subtraction instruction to execute or execute and not save the results of the instruction to a register. Thus having the same functionality.).

27. As per claim 20:

The system of claim 19 including means for comparing the immediate value to the register value in the referenced register (Terada: Figure 4, column 5 lines 66-67 continued to column 6 lines 1-24)(The compare greater than instruction in figure 4 compares a register value to an immediate value. The predicate result of this will cause the subtraction instruction to execute or execute and not save the results of the instruction to a register. Thus having the same functionality.).

Claim Rejections - 35 USC § 103

- 28. The following is a quotation of 35 U.S.C. §103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Page 9

Application/Control Number: 10/632,214

Art Unit: 2183

29. Claims 4-5, 7-9, 14-15, and 17 are rejected under 35 U.S.C. §103(a) as being unpatentable over Terada et al. (U.S. 6,041,399), in view of Blaner et al. (U.S. 5,659,722)

30. As per claim 4:

Terada disclosed the processor of claim 1.

Terada failed to teach wherein the comparison is performed by masking the register value in the referenced register with the immediate value and examining one or more bits in the masked version of the referenced register.

However, Blaner disclosed wherein the comparison is performed by masking the register value in the referenced register with the immediate value and examining one or more bits in the masked version of the referenced register (Blaner: Figures 3 and 7, column 4 lines 53-67 continued to column 5 lines 1-42 and column 6 lines 26-39 and column 8 lines 4-31)(Blaner disclosed a branch instruction that tests the status registers with a immediate mask in the instruction. Figure 3 shows the instruction format, with element 508 being the masked immediate value. Figure 7 shows the process of executing this instruction. Element 330 is the status register that stores the current status bits that are checked by the branch instruction. Column 8 discusses the process of masking the immediate mask in the instruction with the status register values to determine test value. This test value is the basis of if the branch is taken or not.).

Processing elements produce condition signals during execution that indicate conditions relevant to the execution of an instruction. These signals can later be used by conditional branches to determine if certain conditions were met for a branch

instruction (Bladen: Column 1 lines 20-29). This type of branch instruction that performs a mask of the status bits with an immediate value to determine if the branch is taken would also be useful in other processors, such as the processor of Terada. The advantage of having conditional branches that branch on the status bits generated from prior instructions would have motivated one of ordinary skill in the art at the time of the invention to implement the test and branch instruction of Bladen into the processor of Terada. Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to add the test and branch instruction to Terada for the benefits of branching dependent on different status bits generated from previous instructions.

It would have been obvious to one of ordinary skill in the art that having an instruction with two different modes of operation using a control bit is essentially the same as having two different instructions using two separate opcodes to control two different modes of operation. Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the two instructions and use a single control bit in the opcode to differentiate between the two modes of execution. In addition, according to "In re Larson" (144 USPQ 374 (CCPA 1965)), to make integral doesn't give patentability over prior art.).

31. As per claim 5:

Terada and Blaner disclosed the processor of claim 4 wherein the masking is performed by ANDing the immediate value with the register value (Blaner: Figure 7 elements 352, 362, 372, and 382, column 8 lines 4-31)(These elements are ANDing the value from the status register with the immediate value of the predicate from the branch

Art Unit: 2183

instruction.).

32. As per claim 7:

Terada disclosed the processor of claim 6 wherein the at least one bit specifies whether the register reference is to a register from a first group of registers or to a register from a second group of registers (Terada: Figure 4, column 5 lines 66-67 continued to column 6 lines 1-24)(The first group of registers is registers from the register file and the second group of registers is the status register. The compare instruction's opcode specifies that a comparison will be done by a normal register and not a status register. Thus having the same functionality.); and

if a register from the first group of registers is specified by said bit, the comparison is performed by comparing the immediate value to the register value (Terada: Figure 4, column 5 lines 66-67 continued to column 6 lines 1-24)(The compare instruction in figure 4 is done by comparing the data stored in the register to the immediate value. Thus having the same functionality.); and

Terada failed to teach if a register from the second group of registers is specified by said bit, the comparison is performed by masking the register value with the immediate value and examining one or more bits in the masked version of the referenced register.

However, Bladen disclosed if a register from the second group of registers is specified by said bit, the comparison is performed by masking the register value with the immediate value and examining one or more bits in the masked version of the referenced register (Blaner: Figures 3 and 7, column 4 lines 53-67 continued to column

5 lines 1-42 and column 6 lines 26-39 and column 8 lines 4-31)(The test and branch instruction's opcode states that the comparison is done between the status register and the immediate predicate value within the instruction, which is element 508 in figure 3. Figure 7 shows the process of executing this instruction. Element 330 is the status register that stores the current status bits that are checked by the branch instruction. Column 8 discusses the process of masking the immediate mask in the instruction with the status register values to determine test value. This test value is the basis of if the branch is taken or not.).

Processing elements produce condition signals during execution that indicate conditions relevant to the execution of an instruction. These signals can later be used by conditional branches to determine if certain conditions were met for a branch instruction (Bladen: Column 1 lines 20-29). This type of branch instruction that performs a mask of the status bits with an immediate value to determine if the branch is taken would also be useful in other processors, such as the processor of Terada. The advantage of having conditional branches that branch on the status bits generated from prior instructions would have motivated one of ordinary skill in the art at the time of the invention to implement the test and branch instruction of Bladen into the processor of Terada. Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to add the test and branch instruction to Terada for the benefits of branching dependent on different status bits generated from previous instructions.

It would have been obvious to one of ordinary skill in the art that having an instruction with two different modes of operation using a control bit is essentially the

same as having two different instructions using two separate opcodes to control two different modes of operation. Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the two instructions and use a single control bit in the opcode to differentiate between the two modes of execution. In addition, according to "In re Larson" (144 USPQ 374 (CCPA 1965)), to make integral doesn't give patentability over prior art.).

33. As per claim 8:

Terada disclosed the processor of claim 6 wherein if the register reference specified by said at least one bit is not the status register, the comparison is performed by comparing the immediate value to the register value in the referenced register (Terada: Figure 4, column 5 lines 66-67 continued to column 6 lines 1-24)(The compare instruction in figure 4 is done by comparing the data stored in the specified register to the immediate value. The register is a normal register within the register file and is not the status register. Thus having the same functionality.)

Terada failed to teach wherein the registers include a status register, and, if the register reference specified by said at least one bit is the status register, the comparison is performed by masking the register value in the status register with the immediate value and examining one or more bits in the masked version of the status register.

However, Bladen disclosed wherein the registers include a status register (Bladen: Figure 5, column 7 lines 1-33)(The multiple predicate register stores predicate value for instructions that don't have an immediate predicate value and also stores status bits for each processing element. Thus having the same functionality.); and

If the register reference specified by said at least one bit is the status register, the comparison is performed by masking the register value in the status register with the immediate value and examining one or more bits in the masked version of the status register (Blaner: Figures 3 and 7, column 4 lines 53-67 continued to column 5 lines 1-42 and column 6 lines 26-39 and column 8 lines 4-31)(The test and branch instruction's opcode states that the comparison is done between the status register and the immediate predicate value within the instruction, which is element 508 in figure 3. Figure 7 shows the process of executing this instruction. Element 330 is the status register that stores the current status bits that are checked by the branch instruction. Column 8 discusses the process of masking the immediate mask in the instruction with the status register values to determine test value. This test value is the basis of if the branch is taken or not.).

Processing elements produce condition signals during execution that indicate conditions relevant to the execution of an instruction. These signals can later be used by conditional branches to determine if certain conditions were met for a branch instruction (Bladen: Column 1 lines 20-29). This type of branch instruction that performs a mask of the status bits with an immediate value to determine if the branch is taken would also be useful in other processors, such as the processor of Terada. The advantage of having conditional branches that branch on the status bits generated from prior instructions would have motivated one of ordinary skill in the art at the time of the invention to implement the test and branch instruction of Bladen into the processor of Terada. Thus, it would have been obvious to one of ordinary skill in the art at the time

of the invention to add the test and branch instruction to Terada for the benefits of branching dependent on different status bits generated from previous instructions.

It would have been obvious to one of ordinary skill in the art that having an instruction with two different modes of operation using a control bit is essentially the same as having two different instructions using two separate opcodes to control two different modes of operation. Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the two instructions and use a single control bit in the opcode to differentiate between the two modes of execution. In addition, according to "In re Larson" (144 USPQ 374 (CCPA 1965)), to make integral doesn't give patentability over prior art.).

34. As per claim 9:

Terada disclosed a method of executing an instruction having a reference to a register, an immediate value, and a control bit that dictates one of at least two tests, the method comprising:

Examining said control bits to determine its state (Terada: Figure 4, column 5 lines 66-67 continued to column 6 lines 1-24)(The opcode of the instruction specifies how the instruction will execute.);

If said control bits are in a first state, comparing the immediate value to the contents of the register referenced in the instruction and skipping a subsequent instruction based on the outcome of the comparison (Terada: Figure 4, column 5 lines 66-67 continued to column 6 lines 1-24)(The compare instruction in figure 4 is done by comparing the data stored in the specified register to the immediate value. The register

is a normal register within the register file and is not the status register. Thus having the same functionality.); or

Terada failed to teach if said control is in a second state, masking the contents of the register with the immediate value, testing one or more bits in the masked version of the contents of the register, and skipping a subsequent instruction based on the outcome of the testing.

However, Bladen disclosed if said control bits are in a second state, masking the contents of the register with the immediate value, testing one or more bits in the masked version of the contents of the register, and skipping a subsequent instruction based on the outcome of the testing (Blaner: Figures 3 and 7, column 4 lines 53-67 continued to column 5 lines 1-42 and column 6 lines 26-39 and column 8 lines 4-31)(The test and branch instruction's opcode states that the comparison is done between the status register and the immediate predicate value within the instruction, which is element 508 in figure 3. Figure 7 shows the process of executing this instruction. Element 330 is the status register that stores the current status bits that are checked by the branch instruction. Column 8 discusses the process of masking the immediate mask in the instruction with the status register values to determine test value. This test value is the basis of if the branch is taken or not.).

Processing elements produce condition signals during execution that indicate conditions relevant to the execution of an instruction. These signals can later be used by conditional branches to determine if certain conditions were met for a branch instruction (Bladen: Column 1 lines 20-29). This type of branch instruction that performs

Art Unit: 2183

a mask of the status bits with an immediate value to determine if the branch is taken would also be useful in other processors, such as the processor of Terada. The advantage of having conditional branches that branch on the status bits generated from prior instructions would have motivated one of ordinary skill in the art at the time of the invention to implement the test and branch instruction of Bladen into the processor of Terada. Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to add the test and branch instruction to Terada for the benefits of branching dependent on different status bits generated from previous instructions.

Terada and Bladen failed to teach a control bit that specifies a first or second state.

However, it would have been obvious to one of ordinary skill in the art that having an instruction with two different modes of operation using a control bit is essentially the same as having two different instructions using two separate opcodes to control two different modes of operation. Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the two instructions and use a single control bit in the opcode to differentiate between the two modes of execution. In addition, according to "In re Larson" (144 USPQ 374 (CCPA 1965)), to make integral doesn't give patentability over prior art.).

35. As per claim 14:

Claim 14 essentially recites the same limitations of claim 4. Therefore, claim 14 is rejected for the same reasons as claim 4.

36. As per claim 15:

Art Unit: 2183

Claim 15 essentially recites the same limitations of claim 5. Therefore, claim 15 is rejected for the same reasons as claim 5.

37. As per claim 17:

Claim 17 essentially recites the same limitations of claim 7. Therefore, claim 17 is rejected for the same reasons as claim 7.

38. Claim 10 is rejected under 35 U.S.C. §103(a) as being unpatentable over Terada et al. (U.S. 6,041,399), in view of Blaner et al. (U.S. 5,659,722), further in view of Chen et al. (U.S. 5,504,903)

39. As per claim 10:

Terada and Bladen disclosed the method of claim 9.

Terada and Bladen failed to teach wherein skipping the subsequent instruction comprises replacing the subsequent instruction with a no operation instruction.

However, Chen disclosed wherein skipping the subsequent instruction comprises replacing the subsequent instruction with a no operation instruction (Chen: Column 7 lines 59-67 continued to column 8 lines 1-3).

Both the bit test and skip if set/clear instructions are essentially a predicated compare instruction, which will only execute the next instruction if a condition is met. If the condition is met, then the next instruction is not allowed to complete and is essentially the same as a nop instruction. Thus, it would have been obvious to one of ordinary skill in the art to use the process from Chen of substituting in a nop instruction

instead of the instruction from Bladen or Terada that will simply not complete if the condition to not execute is met.

Conclusion

The following is text cited from 37 CFR 1.111(c): In amending in reply to a rejection of claims in an application or patent under reexamination, the applicant or patent owner must clearly point out the patentable novelty which he or she thinks the claims present in view of the state of the art disclosed by the references cited or the objections made. The applicant or patent owner must also show how the amendments avoid such references or objections.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Radigan et al. (U.S. 5,555,428), taught masking a status register and an immediate mask value to determine if a conditional subroutine would be executed.

Arora (U.S. 6,115,808), taught masking a status vector to a mask vector to determine if hazards are present.

Boutaud et al. (U.S. 6,253,307), taught a conditional branch instruction stored in an instruction register with updates to status bits and is executed by masking the status bits with an immediate mask value to determine if a branch is taken or not.

Branigin (U.S. 5,471,593), taught executing conditional instructions that would compare two registers, generate status signals from the comparison, mask the status

Art Unit: 2183

signals with an immediate value from the instruction, and generate a predicate value from the masking to determine if the next instruction will execute or not.

Perry et al. (U.S. 6,880,074), taught skipping an instruction to save power.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jacob Petranek whose telephone number is 571-272-5988. The examiner can normally be reached on M-F 8:00-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eddie Chan can be reached on (571) 272-4162. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jacob Petranek Examiner Art Unit 2183

> EDDIE CHAN PATENT EXAMINER

SUPERVISORY PATENT DE 2100 TECHNOLOGY CENTER 2100